


A4

**TOLERANCES:**  
Construction tolerances between frames is -0mm +2mm. Frames are manufactured and assembled to +0mm -2mm.

**NOTES**  
THIS DRAWING IS COPYRIGHT. DO NOT SCALE THIS DRAWING. CONTRACTORS MUST CHECK ALL DIMENSIONS ON SITE. ONLY FIGURED DIMENSIONS TO BE WORKED FROM. ALL ERRORS AND DISCREPANCIES MUST BE IMMEDIATELY REPORTED TO THE DESIGN OFFICE OF EOS FRAMING LTD

Studs have swaged ends to fit inside the track so that both studs & tracks are the same width to assist in providing as flush a finish as is possible



WIND POST DOUBLE STUD MANUFACTURED OFFSITE IN EOS FACTORY

NOTE: BASEPLATE CONNECTS TO STRUCTURE AT SSL & PROTRUDES INTERNALLY PAST THE WALL LINE

**NOTES**

1. Fixing provided as required for windloading restraint.
2. Installer to confirm line and level of track base prior to fixing and report deviations greater than +/- 15mm, or any overhangs exceeding the limits highlighted in detail 209 or shown on project specific WPBP detail.
3. Each track length to have fixing 50-100mm from each end.
4. If the double stud windpost is under 300mm long these will be supplied as 2 No. single studs that can be fixed to the windpost base plate in the same manner as the double studs

EOS Framing Ltd, Heighington Lane, Aycliffe Industrial Park, Newton Aycliffe, County Durham, DL5 6QG, Tel: 01325 303030

Title: TYPICAL PARAPET WIND POST CONNECTION DETAIL (S & T)					STAGE:	
					Preliminary:	<input type="checkbox"/>
					Approval:	<input type="checkbox"/>
					Construction:	<input checked="" type="checkbox"/>
Drawn By:	Scale:	Drawing No.	Revision:	Approved By:	Date:	
PK	NTS	272	F	AH/KB	AUG 2020	

